

RECEIVED
CENTRAL FAX CENTERSerial No. 10/666,650**AUG 20 2007** Docket No. 2877-4031AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-3. (cancelled)

4. (currently amended) A glove comprising ~~an elastomeric layer and an elastomeric material wherein said glove has an inner skin-contacting surface and an outer surface, layer wherein the elastomeric layer~~ said elastomeric material comprises a polymer selected from the group consisting of natural rubber latex, synthetic polyisoprene, nitrile, and blends thereof, and wherein the said outer surface ~~layer is coated with a composition~~ comprising a mixture of silicone, ammonium salts of alkyl phosphates, and cetyl pyridinium chloride.

5. (original) A glove according to claim 4, wherein the glove is powder free.

6. (currently amended) A glove according to claim 5, wherein the elastomeric ~~layer~~ material is a natural rubber latex.

7. (currently amended) A glove according to claim 5, wherein the elastomeric ~~layer~~ material is polyisoprene.

8. (currently amended) A glove according to claim 5, wherein the elastomeric ~~layer~~ material is nitrile.

Serial No. 10/666.650

Docket No. 2877-4031

9. (currently amended) A glove according to claim 5, wherein the elastomeric ~~layer~~ material is a blend of two or more polymers selected from the group consisting of natural rubber latex, synthetic polyisoprene, and nitrile.

10. (original) A glove according to claim 4, wherein the silicone comprises polydimethylsiloxane.

11. (cancelled)

12. (currently amended) A glove according to claim 4, wherein the glove has a reduced coefficient of friction compared to the same glove without said outer surface ~~layer-treatment~~ coating composition.

13. (currently amended) A glove according to claim 4, wherein said outer surface of the glove has a coefficient of friction less than about 0.4.

14. (currently amended) A glove according to claim 4, wherein the glove has reduced stickiness when compared to the same glove without said outer ~~layer-treatment~~ coating composition.

15. (currently amended) A glove according to claim 4, wherein the glove has improved double-donnability as measured by the coefficient of friction when compared to the same glove without said outer surface ~~layer-treatment~~ coating composition.

16-41. (cancelled)

Serial No. 10/666,650

Docket No. 2877-4031

42. (new) A glove comprising elastomeric material wherein said glove has an inner skin-contacting surface and an outer surface, wherein said elastomeric material comprises a polymer selected from the group consisting of natural rubber latex, synthetic polyisoprene, nitrile, and blends thereof, and wherein said outer surface is coated with a composition consisting essentially of a mixture of silicone, ammonium salts of alkyl phosphates, and cetyl pyridinium chloride.